

S-60÷100SRsPG Uličný sloup trubkový svařovaný rovný do země



Verze:

| Symbol | Kat. číslo | Hmotnosť [kg] | H [m] | Ød/De [mm] | S [m ²] | h1 [m] | h2 [m] | h d [mm] | h [m] | h3 [m] | Ød1 [mm] |
|----------------|----------------|---------------|-------|------------|---------------------|--------|--------|----------|-------|--------|----------|
| S-60SRs PG | 1101310 625 | 50,40 | 6 | 60/114 | 1,84 | 2.2 | 2 | 400 | 1.2 | 3,0 | 89 |
| S-70SRs PG | 1101310 727 | 54,90 | 7 | 60/114 | 2,23 | 2.2 | 2 | 400 | 1.2 | 4,0 | 89 |
| S-80SRs PG | 1101310 827 | 71,30 | 8 | 60/133 | 2,67 | 2.5 | 3 | 600 | 1.2 | 3,7 | 89 |
| S-90SRs PG | 1101310 857 | 86,30 | 9 | 60/140 | 3,75 | 3 | 4 | 600 | 1.5 | 3,5 | 89 |
| S-100SR sPG | 1101310 823 | 102,00 | 10 | 60/159 | 4,22 | 3.5 | 4 | 600 | 1.5 | 4,0 | 89 |