

## WFL/WFLO... Bracket

### Overview:

#### Application

Supporting cable trays and ladders, pipes, and other systems' components

#### Material

Steel, strip-galv. acc. to the Sendzimir method to PN-EN 10346:2011 (SG)

#### Available to order:


F- steel, hot-dip galv. to PN-EN ISO 1461:2011 (HDG)

E- stainless steel (SS)

L- powder coating in a full range of colours (PC)

**In installation the application of Spacer PD9 is recommended**

**IMPORTANT! Non-standard lengths of brackets available to special order**



### Versions:

| Symbol      | Length L [m] | Catalogue number | Quantity in box | Height H [mm] | Weight 1 pc. | Maximum load Fmax[kN] |
|-------------|--------------|------------------|-----------------|---------------|--------------|-----------------------|
| WFL/WFLO100 | 170          | 720110           | 30              | 120           | 0,30         | 1,40                  |
| WFL/WFLO150 | 205          | 720115           | 30              | 130           | 0,37         | 1,10                  |
| WFL/WFLO200 | 255          | 720120           | 30              | 130           | 0,43         | 0,90                  |
| WFL/WFLO300 | 355          | 720130           | 30              | 130           | 0,58         | 0,50                  |
| WFL/WFLO400 | 455          | 720140           | 20              | 130           | 0,72         | 0,37                  |
| WFL/WFLO500 | 555          | 720150           | 20              | 130           | 0,85         | 0,27                  |
| WFL600      | 655          | 720160           | 20              | 130           | 1,00         | 0,17                  |