

## OPNBP...H50 Vertical Bypass

### Overview:

**Application**

Bypassing mechanical obstacles in cable routing

**Material**



Steel, strip-galv. acc. to the Sendzimir method to PN-EN 10346:2011 (SG)

**Available to order:**

F- steel, hot-dip galv. to PN-EN ISO 1461:2011 (HDG)

E- stainless steel (SS)

L- powder coating in a full range of colours (PC)




**For installation use Screw Sets SGK M6×12 or SG M6×12 and Straight Connectors LPL or LPP. Quick and convenient installation by the use of dismantled parts. This innovative solution allows for fast and safe cable laying without the need of pulling**

### Versions:

Sheet thickness: 1,5 mm

Symbol	Width a [mm]	Catalogue number	Quantity in box	Weight 1 pc.
OPNBP50H50	50	153704	10	0,80
OPNBP100H50	100	153804	10	1,22
OPNBP150H50	150	153904	10	1,60
OPNBP200H50	200	154004	10	1,98
OPNBP300H50	300	154204	4	2,92
OPNBP400H50	400	154304	4	3,56
OPNBP500H50	500	154404	4	4,68
OPNBP600H50	600	154504	4	5,24

### Connected products:



Vertical Elbow - Right	Vertical Elbow - Right	Vertical Elbow - Left	Vertical Elbow - Left	-Lengthwise	-Lengthwise	Vertical Tee - Crosswise	Vertical Tee - Crosswise
							
RKLP...H50 Left Reducer	RKLB...H50 Left Reducer	RKPP...H50 Right Reducer	RKPB...H50 Right Reducer	RKSP...H50 Straight Reducer	RKSB...H50 Straight Reducer	TKDP...H50 Add-on Tee	LRPPH50 Corner Connector