

## KRLJ...H50 Vertical Elbow - Left

### Overview:

**Application**

Transition of tray cable run in the horizontal plane to the vertical plane.

**Material**


Steel, strip-galv. acc. to the Sendzimir method to PN-EN 10346:2011 (SG)

**Available to order:**

**F-** steel, hot-dip galv. to PN-EN ISO 1461:2011 (HDG)

**E-** stainless steel (SS)

**L-** powder coating in a full range of colours (PC)



**For installation use Screw Sets SGK M6×12 or SG M6×12.**

**Quick and convenient installation by the use of dismantled parts**

**This innovative solution allows for fast and safe cable laying without the need of pulling**

### Versions:

Sheet thickness: **1,0 mm**

Symbol	Width a [mm]	Catalogue number	Quantity in box	Weight 1 pc.
<b>KRLJ50H50</b>	<b>50</b>	<b>158205</b>	<b>10</b>	<b>0,48</b>
<b>KRLJ100H50</b>	<b>100</b>	<b>158210</b>	<b>10</b>	<b>0,70</b>
<b>KRLJ150H50</b>	<b>150</b>	<b>158215</b>	<b>6</b>	<b>1,06</b>
<b>KRLJ200H50</b>	<b>200</b>	<b>158220</b>	<b>6</b>	<b>1,41</b>
<b>KRLJ300H50</b>	<b>300</b>	<b>158230</b>	<b>4</b>	<b>2,11</b>
<b>KRLJ400H50</b>	<b>400</b>	<b>158240</b>	<b>4</b>	<b>2,80</b>
<b>KRLJ500H50</b>	<b>500</b>	<b>158250</b>	<b>2</b>	<b>3,51</b>
<b>KRLJ600H50</b>	<b>600</b>	<b>158260</b>	<b>2</b>	<b>4,22</b>

### Connected products:

