

## KRLBP...H110 Vertical Elbow - Left

### Overview:

**Application**

Transition of tray cable run in the horizontal plane to the vertical plane.

**Material**


Steel, strip-galv. acc. to the Sendzimir method to PN-EN 10346:2011 (SG)

**Available to order:**

**F-** steel, hot-dip galv. to PN-EN ISO 1461:2011 (HDG)

**E-** stainless steel (SS)

**L-** powder coating in a full range of colours (PC)



**For installation use Screw Sets SGK M6×12 or SG M6×12.**

**Quick and convenient installation by the use of dismantled parts**

**This innovative solution allows for fast and safe cable laying without the need of pulling**

### Versions:

Sheet thickness: **1,5 mm**

Symbol	Width a [mm]	Catalogue number	Quantity in box	Weight 1 pc.
<b>KRLBP100H110</b>	<b>100</b>	<b>128210</b>	<b>4</b>	<b>1,63</b>
<b>KRLBP150H110</b>	<b>150</b>	<b>128215</b>	<b>4</b>	<b>2,17</b>
<b>KRLBP200H110</b>	<b>200</b>	<b>128220</b>	<b>4</b>	<b>3,24</b>
<b>KRLBP300H110</b>	<b>300</b>	<b>128230</b>	<b>2</b>	<b>4,87</b>
<b>KRLBP400H110</b>	<b>400</b>	<b>128240</b>	<b>2</b>	<b>6,35</b>
<b>KRLBP500H110</b>	<b>500</b>	<b>128250</b>	<b>2</b>	<b>8,03</b>
<b>KRLBP600H110</b>	<b>600</b>	<b>128260</b>	<b>2</b>	<b>9,55</b>