

## TRSBP...H110 Vertical Tee - Crosswise

### Overview:

**Application**

Branching out cable routes. Transition of tray cable run from the horizontal to the vertical plane.

**Material**


Steel, strip-galv. acc. to the Sendzimir method to PN-EN 10346:2011 (SG)

**Available to order:**

**F-** steel, hot-dip galv. to PN-EN ISO 1461:2011 (HDG)

**E-** stainless steel (SS)

**L-** powder coating in a full range of colours (PC)



**For installation use Screw Sets SGK M6×12 or SG M6×12 and Straight Connectors LPL or LPP.**

**Quick and convenient installation by the use of dismantled parts**

**This innovative solution allows for fast and safe cable laying without the need of pulling**

### Versions:

Sheet thickness: **1,5 mm**

| Symbol       | Width a [mm] | Catalogue number | Quantity in box | Weight 1 pc. |
|--------------|--------------|------------------|-----------------|--------------|
| TRSBP100H110 | 100          | 128810           | 4               | 2,65         |
| TRSBP150H110 | 150          | 128815           | 4               | 2,92         |
| TRSBP200H110 | 200          | 128820           | 4               | 3,20         |
| TRSBP300H110 | 300          | 128830           | 1               | 3,75         |
| TRSBP400H110 | 400          | 128840           | 1               | 4,30         |
| TRSBP500H110 | 500          | 128850           | 1               | 4,86         |
| TRSBP600H110 | 600          | 128860           | 1               | 5,42         |