


KBP...H60 Cable Tray

Overview:

Application
Cable routing

Material
Steel, strip-galv. acc. to the Sendzimir method to PN-EN 10346:2011 (SG)

Available to order:
F- steel, hot-dip galv. to PN-EN ISO 1461:2011 (HDG)
E- stainless steel (SS)
L- powder coating in a full range of colours (PC)




Important!
Possibility of joining cable tray KBR..., KBL..., KBJ... and KBD... sections together through sliding one into another and connector-free assembly. Cable Tray sections of KBP... can be joined up only through the use of connectors (lack of cut in the flange at the end of side profile). Available when ordering in large quantity are 6m long tray sections. To install cable tray use Screw Sets SGK M6x12 or SG M6x12.











Versions:

Sheet thickness: 1,5 mm

Symbol	Length L [m]	Width a [mm]	Catalogue number	Quantity in box	Weight [1m]	Effective section
KBP50H60/3	3000	50	162524	12	2,45	2900
KBP100H60/3	3000	100	162610	6	3,00	5800
KBP200H60/3	3000	200	162620	6	4,20	11800
KBP300H60/3	3000	300	162630	4	5,40	17800
KBP400H60/3	3000	400	162040	4	6,60	23800
KBP500H60/3	3000	500	162050	2	7,80	29800
KBP600H60/3	3000	600	162060	2	9,00	35800

Connected products:



OPNP...H60 Vertical Bypass	OPNBP...H60 Vertical Bypass	KRPP...H60 Vertical Elbow - Right	KRPBP...H60 Vertical Elbow - Right	KRLP...H60 Vertical Elbow - Left	KRLBP...H60 Vertical Elbow - Left	TRP...H60 Vertical Tee -Lengthwise	TRBP...H60 Vertical Tee -Lengthwise
							
TRSP...H60 Vertical Tee - Crosswise	TRSBP...H60 Vertical Tee - Crosswise	RKLP...H60 Left Reducer	RKLBP...H60 Left Reducer	RKPP...H60 LeftRight Reducer	RKBPB...H60 Right Reducer	RKSP...H60 Straight Reducer	RKSBP...H60 Straight Reducer
							
TKDP...H60 Add-on Tee	LRPPH60 Corner Connector						