

KRLJ...H60 Vertical Elbow - Left

Overview:

Application

Transition of tray cable run in the horizontal plane to the vertical plane.

Material


Steel, strip-galv. acc. to the Sendzimir method to PN-EN 10346:2011 (SG)

Available to order:

F- steel, hot-dip galv. to PN-EN ISO 1461:2011 (HDG)

E- stainless steel (SS)

L- powder coating in a full range of colours (PC)



For installation use Screw Sets SGK M6×12 or SG M6×12.

Quick and convenient installation by the use of dismantled parts


This innovative solution allows for fast and safe cable laying without the need of pulling

Versions:

Sheet thickness: **1,0 mm**

Symbol	Width a [mm]	Catalogue number	Quantity in box	Weight 1 pc.
KRLJ50H60	50	169524	1	0,48
KRLJ100H60	100	168210	1	0,77
KRLJ150H60	150	168215	1	1,16
KRLJ200H60	200	168220	1	1,54
KRLJ300H60	300	168230	1	2,32
KRLJ400H60	400	168240	1	3,08
KRLJ500H60	500	168250	1	3,85
KRLJ600H60	600	168260	1	4,60

Connected products:



KRPBj...H60 Vertical Elbow - Right	KRLBj...H60 Vertical Elbow - Left	TRJ...H60 Vertical Tee -Lengthwise	TRBj...H60 Vertical Tee -Lengthwise	TRSj...H60 Vertical Crosswise Tee	TRSBj...H60 Vertical Tee - Crosswise	RKLj...H60 Left Reducer	RKLBj...H60 Left Reducer
							
RKPj...H60 Right Reducer	RKPBj...H60 Right Reducer	RKSj...H60 Straight Reducer	RKSBj...H60 Straight Reducer	LRJH60 Corner Connector	LRBJH60 Corner Connector	TKDj...H60 Add-on Tee	LRPJH60 Corner Connector