

ELP...H60 Adjustable Vertical Bend Element

Overview:

Application

Diversions in cable routing. Full-range angle adjustment with a lock.

Material


Steel, strip-galv. acc. to the Sendzimir method to PN-EN 10346:2011 (SG)

Available to order:

F- steel, hot-dip galv. to PN-EN ISO 1461:2011 (HDG)

E- stainless steel (SS)

L- powder coating in a full range of colours (PC)



For installation use Screw Sets SGK M6×12 or SG M6×12.


Possibility of creating adjustable vertical bends of any internal radius through adding up bend elements











Versions:

Sheet thickness: **1,5 mm**

Symbol	Width a [mm]	Catalogue number	Quantity in box	Weight 1 pc.
ELP50H60	50	168624	4	0,39
ELP100H60	100	164210	4	0,62
ELP150H60	150	164215	4	0,74
ELP200H60	200	164220	4	0,87
ELP300H60	300	164230	4	1,12
ELP400H60	400	164240	4	1,37
ELP500H60	500	164250	4	1,62
ELP600H60	600	164260	4	1,86

Connected products:



OPNP...H60 Vertical Bypass	OPNBP...H60 Vertical Bypass	KRPP...H60 Vertical Elbow - Right	KRPBP...H60 Vertical Elbow - Right	KRLP...H60 Vertical Elbow - Left	KRLBP...H60 Vertical Elbow - Left	Vertical Tee -Lengthwise	Vertical Tee -Lengthwise
							
TRSP...H60 Vertical Tee - Crosswise	TRSBP...H60 Vertical Tee - Crosswise	RKLP...H60 Left Reducer	RKLBP...H60 Left Reducer	RKPP...H60 LeftRight Reducer	RKBPB...H60 Right Reducer	RKSP...H60 Straight Reducer	RKSBP...H60 Straight Reducer
							
TKDP...H60 Add-on Tee	LRPPH60 Corner Connector						