

ELBP...H80 Adjustable Vertical Bend Element

Overview:

Application

Diversions in cable routing. Full-range angle adjustment with a lock.

Material


Steel, strip-galv. acc. to the Sendzimir method to PN-EN 10346:2011 (SG)

Available to order:

F- steel, hot-dip galv. to PN-EN ISO 1461:2011 (HDG)

E- stainless steel (SS)

L- powder coating in a full range of colours (PC)



For installation use Screw Sets SGK M6×12 or SG M6×12.


Possibility of creating adjustable vertical bends of any internal radius through adding up bend elements

Versions:

Sheet thickness: **1,5 mm**

Symbol	Width a [mm]	Catalogue number	Quantity in box	Weight 1 pc.
ELBP100H80	100	187610	10	0,72
ELBP150H80	150	187615	10	0,84
ELBP200H80	200	187620	10	0,97
ELBP300H80	300	187630	4	1,22
ELBP400H80	400	187640	4	1,46
ELBP500H80	500	187650	4	1,71
ELBP600H80	600	187660	4	1,96

Connected products:



Vertical Elbow - Right	Vertical Elbow - Right	Vertical Elbow - Left	Vertical Elbow - Left	Vertical Tee -Lengthwise	Vertical Tee -Lengthwise	Vertical Tee - Crosswise	Vertical Tee - Crosswise
							
RKLP...H80 Left Reducer	RKLB...H80 Left Reducer	RKPP...H80 Right Reducer	RKBP...H80 Right Reducer	RKSP...H80 Straight Reducer	RKSB...H80 Straight Reducer	TKDP...H80 Add-on Tee	LRPPH80 Corner Connector