


KOP...H100N Cable Tray

Overview:

Application
Cable routing

Material
Steel, strip-galv. acc. to the Sendzimir method to PN-EN 10346:2011 (SG)

Available to order:
F- steel, hot-dip galv. to PN-EN ISO 1461:2011 (HDG)
E- stainless steel (SS)
L- powder coating in a full range of colours (PC)




Important! Cable Tray sections of KOP... can be joined up only through the use of connectors (lack of cut in the flange at the end of side profile). Available when ordering in large quantity are 2m long tray sections. To install cable tray use Screw Sets SGK M6x12 or SG M6x12.

Versions:

Sheet thickness: **1,5 mm**

Symbol	Length L [m]	Width a [mm]	Catalogue number	Quantity in box	Weight [1m]	Effective section
KOP100H100/3N	3000	100	111210	4	3,28	9800
KOP150H100/3N	3000	150	111215	4	3,78	14800
KOP200H100/3N	3000	200	111220	2	4,28	19800
KOP300H100/3N	3000	300	111230	2	5,27	29800
KOP400H100/3N	3000	400	111240	2	6,27	39800
KOP500H100/3N	3000	500	111250	2	7,27	49800
KOP600H100/3N	3000	600	111260	2	8,27	59800

Connected products:



KRPBP...H100 Vertical Elbow - Right	KRLP...H100 Vertical Elbow - Left	KRLBP...H100 Vertical Elbow - Left	TRP...H100 Vertical Tee -Lengthwise	TRBP...H100 Vertical Tee -Lengthwise	TRSP...H100 Vertical Tee - Crosswise	TRSBP...H100 Vertical Tee - Crosswise	RKLP...H100 Left Reducer
							
RKLBP...H100 Left Reducer	RKPP...H100 Right Reducer	RKPBP...H100 Right Reducer	RKSP...H100 Straight Reducer	RKSBP...H100 Straight Reducer	TKDP...H100 Add-on Tee	LRPPH100 Corner Connector	