

KRLBJ...H30 Vertical Elbow - Left

Overview:

Application

Transition of tray cable run in the horizontal plane to the vertical plane.

Material


Steel, strip-galv. acc. to the Sendzimir method to PN-EN 10346:2011 (SG)

Available to order:

F- steel, hot-dip galv. to PN-EN ISO 1461:2011 (HDG)

E- stainless steel (SS)

L- powder coating in a full range of colours (PC)



For installation use Screw Sets SGK M6×10 or SG M6×10.

Quick and convenient installation by the use of dismantled parts

This innovative solution allows for fast and safe cable laying without the need of pulling

Versions:

Sheet thickness: **1,0 mm**

| Symbol | Width a [mm] | Catalogue number | Quantity in box | Weight 1 pc. |
|--------------------|--------------|------------------|-----------------|--------------|
| KRLBJ50H30 | 50 | 136705 | 1 | 0,40 |
| KRLBJ100H30 | 100 | 136710 | 1 | 0,62 |
| KRLBJ150H30 | 150 | 136715 | 1 | 0,94 |
| KRLBJ200H30 | 200 | 136720 | 1 | 1,24 |
| KRLBJ300H30 | 300 | 136730 | 1 | 1,87 |

Connected products:



KGR...H30 Cable Tray KGL...H30 Cable Tray KGJ...H30 Cable Tray KBJ...H30 Cable Tray KBR...H30 Cable Tray KBL...H30 Cable Tray SGK... Screw Set SM... Screw Set