

KKBJ...H42 90° Horizontal Bend

Overview:

Application

Diversions in cable routing.

Material



Steel, strip-galv. acc. to the Sendzimir method to PN-EN 10346:2011 (SG)

Available to order:

F- steel, hot-dip galv. to PN-EN ISO 1461:2011 (HDG)

E- stainless steel (SS)

L- powder coating in a full range of colours (PC)



**For installation use Screw Sets SGK M6×10 or SG M6×10.
In case of special orders please specify dimensions a and b.**

Versions:

Sheet thickness: **1,0 mm**

Symbol	Width a [mm]	Catalogue number	Quantity in box	Weight 1 pc.
KKBJ50H42	50	140102	20	0,16
KKBJ100H42	100	140302	20	0,27
KKBJ150H42	150	140502	10	0,52
KKBJ200H42	200	140602	10	0,66
KKBJ300H42	300	140802	10	1,24
KKBJ400H42	400	147102	10	1,60
KKBJ500H42	500	147202	10	2,05
KKBJ600H42	600	147302	10	2,60

Connected products:

KAJ...H42 Cable Tray	KGL...H42 Cable Tray	KGJ...H42 Cable Tray	KGR...H42 Cable Tray	KPR Cable Tray	KPL Cable Tray	KPJ Cable Tray	KCJ...H42 Cable Tray
KCL...H42 Cable Tray	KOL...H42 Cable Tray	KOJ...H42 Cable Tray	KRRN Cable Tray	KRLN Cable Tray	KRJN Cable Tray	KBR...H42 Cable Tray	KBJ...H42 Cable Tray
OPZJ...H42 Horizontal Bypass	OPZBJ...H42 Horizontal Bypass	OPNJ...H42 Vertical Bypass	OPNB...H42 Vertical Bypass	LUJ...H42 90° Vertical Bend	LUBJ...H42 90° Vertical Bend	LUMJ...H42 45° Vertical Bend	LUMB...H42 45° Vertical Bend
LUPJ...H42 90° Vertical Bend	LUMPJ...H42 45° Vertical Bend	TRSJ...H42 Vertical Tee - Crosswise	TRSB...H42 Vertical Tee - Crosswise	SG... Screw Set	SM... Screw Set		