

KRLBJ...H50 Vertical Elbow - Left

Overview:

Application

Transition of tray cable run in the horizontal plane to the vertical plane.

Material


Steel, strip-galv. acc. to the Sendzimir method to PN-EN 10346:2011 (SG)

Available to order:

F- steel, hot-dip galv. to PN-EN ISO 1461:2011 (HDG)

E- stainless steel (SS)

L- powder coating in a full range of colours (PC)



For installation use Screw Sets SGK M6x12 or SG M6x12.

Quick and convenient installation by the use of dismantled parts


This innovative solution allows for fast and safe cable laying without the need of pulling



Versions:

Sheet thickness: **1,0 mm**

Symbol	Width a [mm]	Catalogue number	Quantity in box	Weight 1 pc.
KRLBJ50H50	50	154601	10	0,48
KRLBJ100H50	100	154701	10	0,70
KRLBJ150H50	150	154801	6	1,06
KRLBJ200H50	200	154901	6	1,41
KRLBJ300H50	300	155101	4	2,11
KRLBJ400H50	400	155201	4	2,80
KRLBJ500H50	500	155301	2	3,51
KRLBJ600H50	600	155401	2	4,22

Connected products:



KRPJ...H50
Vertical Elbow -
RightKRPBJ...H50
Vertical Elbow -
RightKRLJ...H50
Vertical Elbow -
LeftTRJ...H50
Vertical Tee
-LengthwiseTRBJ...H50
Vertical Tee
-LengthwiseTRSJ...H50
Vertical Tee -
CrosswiseTRSBJ...H50
Vertical Tee -
CrosswiseRKLJ...H50 Left
ReducerRKLBJ...H50 Left
ReducerRKPJ...H50 Right
ReducerRKPBJ...H50
Right ReducerRKSJ...H50
Straight
ReducerRKSBJ...H50
Straight
ReducerLRJH50 Corner
ConnectorLRBJH50 Corner
ConnectorTKDJ...H50
Add-on TeeLRPJH50 Corner
Connector