

ELP...H50 Adjustable Vertical Bend Element

Overview:

Application

Diversions in cable routing. Full-range angle adjustment with a lock.

Material


Steel, strip-galv. acc. to the Sendzimir method to PN-EN 10346:2011 (SG)

Available to order:

F- steel, hot-dip galv. to PN-EN ISO 1461:2011 (HDG)

E- stainless steel (SS)

L- powder coating in a full range of colours (PC)



For installation use Screw Sets SGK M6×12 or SG M6×12.


Possibility of creating adjustable vertical bends of any internal radius through adding up bend elements

Versions:

Sheet thickness: **1,5 mm**

Symbol	Width a [mm]	Catalogue number	Quantity in box	Weight 1 pc.
ELP50H50	50	154205	20	0,45
ELP100H50	100	154210	10	0,57
ELP150H50	150	154215	10	0,69
ELP200H50	200	154220	10	0,82
ELP300H50	300	154230	10	1,07
ELP400H50	400	154240	4	1,32
ELP500H50	500	154250	4	1,57
ELP600H50	600	154260	4	1,82

Connected products:



KRPP...H50 Vertical Elbow - Right	KRPBP...H50 Vertical Elbow - Right	KRLP...H50 Vertical Elbow - Left	KRLBP...H50 Vertical Elbow - Left	Vertical Tee -Lengthwise	Vertical Tee -Lengthwise	TRSP...H50 Vertical Tee - Crosswise	TRSBP...H50 Vertical Tee - Crosswise
							
RKLP...H50 Left Reducer	RKLBP...H50 Left Reducer	RKPP...H50 Right Reducer	RKPBP...H50 Right Reducer	RKSP...H50 Straight Reducer	RKSBP...H50 Straight Reducer	TKDP...H50 Add-on Tee	LRPPH50 Corner Connector