

ELBJ...H60 Adjustable Vertical Bend Element

Overview:

Application

Diversions in cable routing. Full-range angle adjustment with a lock.

Material


Steel, strip-galv. acc. to the Sendzimir method to PN-EN 10346:2011 (SG)

Available to order:

F- steel, hot-dip galv. to PN-EN ISO 1461:2011 (HDG)

E- stainless steel (SS)

L- powder coating in a full range of colours (PC)



For installation use Screw Sets SGK M6×12 or SG M6×12.


Possibility of creating adjustable vertical bends of any internal radius through adding up bend elements









Versions:

Sheet thickness: **1,0 mm**

Symbol	Width a [mm]	Catalogue number	Quantity in box	Weight 1 pc.
ELBJ50H60	50	168924	4	0,26
ELBJ100H60	100	162503	4	0,41
ELBJ150H60	150	162603	4	0,50
ELBJ200H60	200	162703	4	0,58
ELBJ300H60	300	162903	4	0,74
ELBJ400H60	400	163003	4	0,91
ELBJ500H60	500	163103	4	1,07
ELBJ600H60	600	163203	4	1,24

Connected products:



Vertical Elbow - Left	Vertical Elbow - Left	-Lengthwise	-Lengthwise	Vertical Crosswise Tee	Vertical Tee - Crosswise	Reducer	Reducer
							
RKPJ...H60 Right Reducer	RKPB...H60 Right Reducer	RKSJ...H60 Straight Reducer	RKSB...H60 Straight Reducer	LRJH60 Corner Connector	LRBJH60 Corner Connector	TKDJ...H60 Add-on Tee	LRPJH60 Corner Connector