

LLBP...H60 Adjustable Vertical Bend

Overview:

Application

Diversions in cable routing. Full-range angle adjustment with a lock.

Material


Steel, strip-galv. acc. to the Sendzimir method to PN-EN 10346:2011 (SG)

Available to order:

F- steel, hot-dip galv. to PN-EN ISO 1461:2011 (HDG)

E- stainless steel (SS)

L- powder coating in a full range of colours (PC)



For installation use Screw Sets SGK M6×12 or SG M6×12.

Adjustable Vertical Bend is delivered fully assembled together with:

2 Adjustable Vertical Bend Elements

4 pairs of Angle Connectors


6 sets of screws











Versions:

Sheet thickness: **1,5 mm**

Symbol	Width a [mm]	Catalogue number	Quantity in box	Weight 1 pc.
LLBP50H60	50	168824	2	1,05
LLBP100H60	100	162502	2	2,00
LLBP150H60	150	162602	2	2,25
LLBP200H60	200	162702	2	2,50
LLBP300H60	300	162902	2	3,00
LLBP400H60	400	163002	2	3,50
LLBP500H60	500	163102	2	4,00
LLBP600H60	600	163202	2	4,49

Connected products:



OPNP...H60 Vertical Bypass	OPNBP...H60 Vertical Bypass	KRPP...H60 Vertical Elbow - Right	KRPBP...H60 Vertical Elbow - Right	KRLP...H60 Vertical Elbow - Left	KRLBP...H60 Vertical Elbow - Left	TRP...H60 Vertical Tee -Lengthwise	TRBP...H60 Vertical Tee -Lengthwise
							
TRSP...H60 Vertical Tee - Crosswise	TRSBP...H60 Vertical Tee - Crosswise	RKLP...H60 Left Reducer	RKLBP...H60 Left Reducer	RKPP...H60 LeftRight Reducer	RKPBP...H60 Right Reducer	RKSP...H60 Straight Reducer	RKSBP...H60 Straight Reducer
							
TKDP...H60 Add-on Tee	LRPPH60 Corner Connector						