

ELBP...H80 Adjustable Vertical Bend Element

Overview:

Application

Diversions in cable routing. Full-range angle adjustment with a lock.

Material


Steel, strip-galv. acc. to the Sendzimir method to PN-EN 10346:2011 (SG)

Available to order:

F- steel, hot-dip galv. to PN-EN ISO 1461:2011 (HDG)

E- stainless steel (SS)

L- powder coating in a full range of colours (PC)



For installation use Screw Sets SGK M6×12 or SG M6×12.


Possibility of creating adjustable vertical bends of any internal radius through adding up bend elements

Versions:

Sheet thickness: **1,5 mm**

| Symbol | Width a [mm] | Catalogue number | Quantity in box | Weight 1 pc. |
|------------|--------------|------------------|-----------------|--------------|
| ELBP100H80 | 100 | 187610 | 10 | 0,72 |
| ELBP150H80 | 150 | 187615 | 10 | 0,84 |
| ELBP200H80 | 200 | 187620 | 10 | 0,97 |
| ELBP300H80 | 300 | 187630 | 4 | 1,22 |
| ELBP400H80 | 400 | 187640 | 4 | 1,46 |
| ELBP500H80 | 500 | 187650 | 4 | 1,71 |
| ELBP600H80 | 600 | 187660 | 4 | 1,96 |

Connected products:



| | | | | | | | |
|---|---|---|---|--|---|---|---|
| Vertical Elbow - Right | Vertical Elbow - Right | Vertical Elbow - Left | Vertical Elbow - Left | Vertical Tee -Lengthwise | Vertical Tee -Lengthwise | Vertical Tee - Crosswise | Vertical Tee - Crosswise |
|  |  |  |  |  |  |  |  |
| RKLP...H80 Left Reducer | RKLB...H80 Left Reducer | RKPP...H80 Right Reducer | RKBP...H80 Right Reducer | RKSP...H80 Straight Reducer | RKSBP...H80 Straight Reducer | TKDP...H80 Add-on Tee | LRPPH80 Corner Connector |