

## ELBJ...H60 Adjustable Vertical Bend Element


### Overview:

#### APPLICATION

Diversions in cable routing.  
Full-range angle adjustment with a lock.

#### MATERIAL

Steel, strip-galv. acc. to the  
Sendzimir method PN-EN 10346:2011  
Available finishes:  
F - steel, hot-dip galvanised  
to PN-EN ISO 1461:2011 (HDG)  
E - stainless steel, grade 1.4301 (AISI304)  
L - powder coating in a full range of colours (PC)



**Possibility of creating adjustable vertical bends of any internal radius through adding up bend elements**

### Versions:

Sheet thickness: **1,0 mm**

Symbol	Width a [mm]	Catalogue number	Quantity in box	Weight 1 pc.
<b>ELBJ100H60</b>	<b>100</b>	<b>162503</b>	<b>10</b>	<b>0,41</b>
<b>ELBJ150H60</b>	<b>150</b>	<b>162603</b>	<b>10</b>	<b>0,50</b>
<b>ELBJ200H60</b>	<b>200</b>	<b>162703</b>	<b>10</b>	<b>0,58</b>
<b>ELBJ300H60</b>	<b>300</b>	<b>162903</b>	<b>4</b>	<b>0,74</b>
<b>ELBJ400H60</b>	<b>400</b>	<b>163003</b>	<b>4</b>	<b>0,91</b>